L Number	Hits	Search Text	DB	Time stamp
-	2	("5958049").PN.	USPAT;	2004/05/13 16:19
			US-PGPUB;	
			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
_	17	remote\$2 near10 diagnos\$5 and download\$3 near10 (fault or	USPAT;	2004/11/01 15:21
		error or event or log) adj3 (information or file or data) and	US-PGPUB;	
		(@AD<20000914 or @RLAD<20000914 or	EPO; JPO;	
		@PRAD<20000914)	DERWENT;	
i		(B) 1(AD 120000314)	IBM TDB	
	5	(remote\$2 near10 diagnos\$5 and download\$3 near10 (fault or	USPAT;	2004/11/01 15:10
-	<sub>,</sub> 5		US-PGPUB;	2004/11/01 15:10
		error or event or log) adj3 (information or file or data) and		
		(@AD<20000914 or @RLAD<20000914 or	EPO; JPO;	
		@PRAD<20000914)) and Internet	DERWENT;	
	4.0		IBM_TDB	
-	19	remote\$2 near10 (troubleshooting or trouble adj shoot\$3 or	USPAT;	2004/11/01 16:58
		diagnos\$5) and download\$3 near10 (fault or error or event or	US-PGPUB;	
		log) adj3 (information or file or data) and (@AD<20000914 or	EPO; JPO;	
		@RLAD<20000914 or @PRAD<20000914)	DERWENT;	
			IBM_TDB	
	1	(remote\$2 near10 (troubleshooting or trouble adj shoot\$3 or	USPAT;	2004/11/01 17:06
		diagnos\$5) and download\$3 near10 (fault or error or event or	US-PGPUB;	
		log) adj3 (information or file or data) and (@AD<20000914 or	EPO; JPO;	
		@RLAD<20000914 or @PRAD<20000914)) and (register\$3 or	DERWENT;	
		registration) and driver	IBM_TDB	
-	85	remote\$2 near10 (troubleshooting or trouble adj shoot\$3 or	USPAT;	2004/11/01 17:07
		diagnos\$5 or monitor\$3) and download\$3 near10 (fault or	US-PGPUB;	
		error or event or log) adj3 (information or file or data or	EPO; JPO;	
		message) and (@AD<20000914 or @RLAD<20000914 or	DERWENT;	
		@PRAD<20000914)	IBM TDB	
-	21	(remote\$2 near10 (troubleshooting or trouble adj shoot\$3 or	USPAT;	2004/11/01 17:48
		diagnos\$5 or monitor\$3) and download\$3 near10 (fault or	US-PGPUB;	
		error or event or log) adj3 (information or file or data or	EPO; JPO;	
İ		message) and (@AD<20000914 or @RLAD<20000914 or	DERWENT;	
1		@PRAD<20000914)) and (register\$3 or registration) and	IBM_TDB	
		driver	.5	
_	6		USPAT;	2004/11/01 18:08
		diagnos\$5 or monitor\$3) and download\$3 near10 ( event) adj3	US-PGPUB:	2004/11/01 10:00
		(log) and (@AD<20000914 or @RLAD<20000914 or	EPO; JPO;	
		@PRAD<20000914)	DERWENT;	
		( W) 1(AD 120000314)	IBM_TDB	
	20	romoto\$2 poor10 (logging or monitor\$2) with (program or	USPAT;	2004/11/01 17:18
-	. 20	( 100 0 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		2004/11/01 17.16
		application or process) with (event or warning or error or status	US-PGPUB;	
		near3 chang\$3 or abort\$3 or cancel\$4 or terminat\$3) and	EPO; JPO;	
		download\$3 near10 (data or file or log or information) with	DERWENT;	
		(network or remote\$2 or Internet) and (@AD<20000914 or	IBM_TDB	
	22	@RLAD<20000914 or @PRAD<20000914)	LICDAT	000444404 40 55
-	20	remote\$2 near10 (logging or monitor\$3) with (program or	USPAT;	2004/11/01 18:06
		application or process) with (event or warning or error or	US-PGPUB;	
		(status or state) near3 chang\$3 or abort\$3 or cancel\$4 or	EPO; JPO;	
		terminat\$3) and download\$3 near10 (data or file or log or	DERWENT;	
		information) with (network or remote\$2 or Internet) and	IBM_TDB	
		(@AD<20000914 or @RLAD<20000914 or		
		@PRAD<20000914)		

-	65	(remote\$2 near10 (logging or monitor\$3) with (program or application or process) with (event or warning or error or (status or state) near3 chang\$3 or abort\$3 or cancel\$4 or terminat\$3) and (access\$3 or download\$3) near10 (data or file	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/11/01 17:48
		or log or information) with (network or remote\$2 or Internet) and (@AD<20000914 or @RLAD<20000914 or @PRAD<20000914)) not (remote\$2 near10 (logging or	IBM_TDB	
		monitor\$3) with (program or application or process) with (event or warning or error or (status or state) near3 chang\$3 or		
		abort\$3 or cancel\$4 or terminat\$3) and download\$3 near10 (data or file or log or information) with (network or remote\$2 or Internet) and (@AD<20000914 or @RLAD<20000914 or @PRAD<20000914))		
-	0	(remote\$2 near10 (troubleshooting or trouble adj shoot\$3 or diagnos\$5 or monitor\$3) and download\$3 near10 (fault or	USPAT; US-PGPUB;	2004/11/01 17:48
		error or event or log) adj3 (information or file or data or message) and (@AD<20000914 or @RLAD<20000914 or @RDAD (20000914 or	EPO; JPO; DERWENT;	
,		@PRAD<20000914)) and ((remote\$2 near10 (logging or monitor\$3) with (program or application or process) with (event or warning or error or (status or state) near3 chang\$3 or	IBM_TDB	
		abort\$3 or cancel\$4 or terminat\$3) and (access\$3 or download\$3) near10 (data or file or log or information) with		
		(network or remote\$2 or Internet) and (@AD<20000914 or @RLAD<20000914 or @PRAD<20000914)) not (remote\$2		
		near10 (logging or monitor\$3) with (program or application or process) with (event or warning or error or (status or state) near3 chang\$3 or abort\$3 or cancel\$4 or terminat\$3) and	:	į
		download\$3 near10 (data or file or log or information) with (network or remote\$2 or Internet) and (@AD<20000914 or	. :	:
-	40	@RLAD<20000914 or @PRAD<20000914))) ((remote\$2 near10 (logging or monitor\$3) with (program or	USPAT;	2004/11/01 17:55
		application or process) with (event or warning or error or (status or state) near3 chang\$3 or abort\$3 or cancel\$4 or	US-PGPUB; EPO; JPO;	
		terminat\$3) and (access\$3 or download\$3) near10 (data or file or log or information) with (network or remote\$2 or Internet) and (@AD<20000914 or @RLAD<20000914 or	DERWENT; IBM_TDB	
		@PRAD<20000914)) not (remote\$2 near10 (logging or monitor\$3) with (program or application or process) with (event		
		or warning or error or (status or state) near3 chang\$3 or abort\$3 or cancel\$4 or terminat\$3) and download\$3 near10		
		(data or file or log or information) with (network or remote\$2 or Internet) and (@AD<20000914 or @RLAD<20000914 or @PRAD<20000914))) and (register\$3 or registration) and		
-	40	driver (((remote\$2 near10 (logging or monitor\$3) with (program or	USPAT;	2004/11/01 17:53
		application or process) with (event or warning or error or (status or state) near3 chang\$3 or abort\$3 or cancel\$4 or terminat\$3) and (access\$3 or download\$3) near10 (data or file	US-PGPUB; EPO; JPO; DERWENT;	
		or log or information) with (network or remote\$2 or Internet) and (@AD<20000914 or @RLAD<20000914 or	IBM_TDB	
		@PRAD<20000914)) not (remote\$2 near10 (logging or monitor\$3) with (program or application or process) with (event		
		or warning or error or (status or state) near3 chang\$3 or abort\$3 or cancel\$4 or terminat\$3) and download\$3 near10 (data or file or log or information) with (network or remote\$2 or		
		Internet) and (@AD<20000914 or @RLAD<20000914 or @PRAD<20000919)) and (register\$3 or registration) and		
		driver) and (troubleshooting or trouble adj shoot\$3 or diagnos\$5 or monitor\$3)		

-	32	(((remote\$2 near10 (logging or monitor\$3) with (program or	USPAT;	2004/11/01 17:54
		application or process) with (event or warning or error or	US-PGPUB;	
1		(status or state) near3 chang\$3 or abort\$3 or cancel\$4 or	EPO; JPO;	
		terminat\$3) and (access\$3 or download\$3) near10 (data or file	DERWENT;	
	į	or log or information) with (network or remote\$2 or Internet)	IBM_TDB	
		and (@AD<20000914 or @RLAD<20000914 or		
		@PRAD<20000914)) not (remote\$2 near10 (logging or		
:		monitor\$3) with (program or application or process) with (event		
!	1	or warning or error or (status or state) near3 chang\$3 or		•
:		abort\$3 or cancel\$4 or terminat\$3) and download\$3 near10 (data or file or log or information) with (network or remote\$2 or	!	
	,	Internet) and (@AD<20000914 or @RLAD<20000914 or @PRAD<20000914))) and (register\$3 or registration) and		
		driver) and (troubleshooting or trouble adj shoot\$3 or		
		diagnos\$5)		
_	o	((remote\$2 near10 (logging or monitor\$3) with (program or	USPAT;	2004/11/01 17:56
		application or process) with (event or warning or error or	US-PGPUB;	200-77170117.00
		(status or state) near3 chang\$3 or abort\$3 or cancel\$4 or	EPO; JPO;	
		terminat\$3) and (access\$3 or download\$3) near10 (data or file	DERWENT:	
		or log or information) with (network or remote\$2 or Internet)	IBM_TDB	
		and (@AD<20000914 or @RLAD<20000914 or	.5	
		@PRAD<20000914)) not (remote\$2 near10 (logging or		
	ĺ	monitor\$3) with (program or application or process) with (event		
		or warning or error or (status or state) near3 chang\$3 or		
		abort\$3 or cancel\$4 or terminat\$3) and download\$3 near10		
1		(data or file or log or information) with (network or remote\$2 or		
		Internet) and (@AD<20000914 or @RLAD<20000914 or	,	
		@PRAD<20000914))) and register\$3 near10 device adj driver		
		with server		
-	0	((remote\$2 near10 (logging or monitor\$3) with (program or	USPAT;	2004/11/01 18:10
		application or process) with (event or warning or error or	US-PGPUB;	
		(status or state) near3 chang\$3 or abort\$3 or cancel\$4 or	EPO; JPO;	
		terminat\$3) and (access\$3 or download\$3) near10 (data or file	DERWENT;	
		or log or information) with (network or remote\$2 or Internet)	IBM_TDB	
		and (@AD<20000914 or @RLAD<20000914 or		·
		@PRAD<20000914)) not (remote\$2 near10 (logging or		
		monitor\$3) with (program or application or process) with (event		
		or warning or error or (status or state) near3 chang\$3 or		, ]
		abort\$3 or cancel\$4 or terminat\$3) and download\$3 near10		
		(data or file or log or information) with (network or remote\$2 or Internet) and (@AD<20000914 or @RLAD<20000914 or		
		@PRAD<20000914))) and register\$3 near10 device adj driver		
_	1	((remote\$2 near10 (logging or monitor\$3) with (program or	USPAT;	2004/11/01 17:56
	•	application or process) with (event or warning or error or	US-PGPUB;	2004/11/01 17:50
		(status or state) near3 chang\$3 or abort\$3 or cancel\$4 or	EPO; JPO;	
		terminat\$3) and (access\$3 or download\$3) near10 (data or file	DERWENT;	
		or log or information) with (network or remote\$2 or Internet)	IBM_TDB	
		and (@AD<20000914 or @RLAD<20000914 or		
1		@PRAD<20000914)) not (remote\$2 near10 (logging or		
		monitor\$3) with (program or application or process) with (event		
		or warning or error or (status or state) near3 chang\$3 or		
		abort\$3 or cancel\$4 or terminat\$3) and download\$3 near10		
		(data or file or log or information) with (network or remote\$2 or		,
		Internet) and (@AD<20000914 or @RLAD<20000914 or		
i	i	@PRAD<20000914))) and register\$3 near10 driver		
-	85	remote\$2 near10 (logging or monitor\$3) with (program or	USPAT;	2004/11/01 18:09
		application or process) with (event or warning or error or	US-PGPUB;	
!		(status or state) near3 chang\$3 or abort\$3 or cancel\$4 or	EPO; JPO;	
		terminat\$3) and (access\$3 or download\$3) near10 (data or file	DERWENT;	
		or log or information) with (network or remote\$2 or Internet)	IBM_TDB	
		and (@AD<20000914 or @RLAD<20000914 or		
1_	322	@PRAD<20000914) remote\$2 near10 (gather\$3 or download\$3 or collect\$3 or	USPAT;	2004/11/01 18:08
_	322	retriev\$3 or access\$3) near5 ( log or event) near5 (file or log)	US-PGPUB;	2007/11/01 10:00
		and (@AD<20000914 or @RLAD<20000914 or	EPO; JPO;	
		@PRAD<20000914)	DERWENT;	
		<u> </u>	IBM_TDB	
	L			l

,	074	(	LICDAT	2004/44/04 40:00
-	974	(network or Internet or remote\$2) near10 (gather\$3 or	USPAT;	2004/11/01 18:08
		download\$3 or collect\$3 or retriev\$3 or access\$3) near5 ( log	US-PGPUB;	
		or event) near5 (file or log) and (@AD<20000914 or	EPO; JPO;	
		@RLAD<20000914 or @PRAD<20000914)	DERWENT;	
_			IBM_TDB	
-	236	((network or Internet or remote\$2) near10 (gather\$3 or	USPAT;	2004/11/01 18:09
		download\$3 or collect\$3 or retriev\$3 or access\$3) near5 ( log	US-PGPUB;	
		or event) near5 (file or log) and (@AD<20000914 or	EPO; JPO;	
		@RLAD<20000914 or @PRAD<20000914)) and	DERWENT;	
		(troubleshooting or trouble adj shoot\$3 or diagnos\$5)	IBM_TDB	
-	161	(((network or Internet or remote\$2) near10 (gather\$3 or	USPAT;	2004/11/01 18:12
		download\$3 or collect\$3 or retriev\$3 or access\$3) near5 ( log	US-PGPUB;	
		or event) near5 (file or log) and (@AD<20000914 or	EPO; JPO;	
	-	@RLAD<20000914 or @PRAD<20000914)) and	DERWENT;	
		(troubleshooting or trouble adj shoot\$3 or diagnos\$5) ) and	IBM_TDB	
		(program or application or process) with (event or warning or	_	
		error or (status or state) near3 chang\$3 or abort\$3 or cancel\$4		
		or terminat\$3)		
-	4	((((network or Internet or remote\$2) near10 (gather\$3 or	USPAT;	2004/11/01 18:10
		download\$3 or collect\$3 or retriev\$3 or access\$3) near5 ( log	US-PGPUB;	
		or event) near5 (file or log) and (@AD<20000914 or	EPO; JPO;	
	İ	@RLAD<20000914 or @PRAD<20000914)) and	DERWENT:	
		(troubleshooting or trouble adj shoot\$3 or diagnos\$5) ) and	IBM TDB	
		(program or application or process) with (event or warning or		
		error or (status or state) near3 chang\$3 or abort\$3 or cancel\$4		
		or terminat\$3)) and register\$3 near10 device adj driver		
_	34	(((network or Internet or remote\$2) near10 (gather\$3 or	USPAT;	2004/11/01 18:12
	1	download\$3 or collect\$3 or retriev\$3 or access\$3) near5 ( log	US-PGPUB:	
		or event) near5 (file or log) and (@AD<20000914 or	EPO; JPO;	
		@RLAD<20000914 or @PRAD<20000914)) and	DERWENT:	
		(troubleshooting or trouble adj shoot\$3 or diagnos\$5) ) and	IBM TDB	
		(logging or recording) with (program or application or process)	15141_155	
		with (event or warning or error or (status or state) near3		
		chang\$3 or abort\$3 or cancel\$4 or terminat\$3)		
		Shariges of abortes of carrottes of terminates	L	